

AD-A110 922

COAST GUARD WASHINGTON DC OCEANOGRAPHIC UNIT
AIRBORNE RADIATION THERMOMETER MEASUREMENTS FROM CAPE COD, MASS--ETC(U)
DEC 78 J W DEEVER, J C REED

F/G 8/10

UNCLASSIFIED

USCG-373-76

NL

1 OF 1

AD-A
110922

END
DATE
FILMED
13-82
DTIC

DEPARTMENT OF TRANSPORTATION



COAST GUARD

LEVEL

AD A110922

**AIRBORNE RADIATION
THERMOMETER MEASUREMENTS
FROM
CAPE COD, MASSACHUSETTS
TO
MIAMI, FLORIDA**

July 1970 - June 1976



OCEANOGRAPHIC REPORT No. CG 373- 76

086 470

1. Report No. CG 373-76	2. Government Accession No. AD-A110 922	3. Recipient's Catalog No.
4. Title and Subtitle Airborne Radiation Thermometer Measurements from Cape Cod, Massachusetts to Miami, Florida July 1970 - June 1976		5. Report Date December 1978
7. Author(s) J.W. DEEVER, J.C. REED		6. Performing Organization Code
9. Performing Organization Name and Address		8. Performing Organization Report No.
12. Sponsoring Agency Name and Address		10. Work Unit No. (TRAIS)
		11. Contract or Grant No.
		13. Type of Report and Period Covered
		14. Sponsoring Agency Code
15. Supplementary Notes		
16. Abstract <p>Sea surface temperatures (SST) for the period of July 1970 to June 1976 from Cape Cod, Massachusetts to Miami, Florida were measured during the U.S. Coast Guard Oceanographic Unit's Airborne Radiation Thermometer (ART) monthly surveys. A total of 72 monthly SST contoured isotherm charts are presented which are constructed from data obtained on these surveys.</p> <p>The distribution of 9 species of marine animals as a function of latitude and SST are presented.</p>		
17. Key Words SST Airborne Radiation Thermometry Atlantic Coastal Waters Gulf Stream		18. Distribution Statement Releasable to the public
19. Security Classification (of this report) UNCLAS	20. Security Classification (of this page) UNCLAS	21. No. of Pages 85



5
OCEANOGRAPHIC REPORT


No. CG 373 - 76

**AIRBORNE RADIATION
THERMOMETER MEASUREMENTS
FROM
CAPE COD, MASSACHUSETTS
TO
MIAMI, FLORIDA**

July 1970 - June 1976

J. W. Deaver

J. C. Reed



**United States Coast Guard
Oceanographic Unit
Washington, D.C.**

December 1978

ABSTRACT

Sea surface temperatures (SST) for the period of July 1970 to June 1976 from Cape Cod, Massachusetts to Miami, Florida were measured during the U.S. Coast Guard Oceanographic Unit's Airborne Radiation Thermometer (ART) monthly surveys. A total of 72 monthly SST contoured isotherm charts are presented which are constructed from data obtained on these surveys.

The distribution of 9 species of marine animals as a function of latitude and SST are presented.

Accession For	
NTIS	
DTIC	
USCIB	
JOINT	
By	
Dis.	
Am.	
Doc.	
A	



Editor's Note: Reference to a product or comment with respect to it in this publication does not indicate, or permit any person to hold out by republication in whole or in part or otherwise, that the product has been endorsed, authorized, or approved by the Coast Guard.

TABLE OF CONTENTS

	<i>Page</i>
Title page	i
Abstract	iii
Table of Contents	v
List of Illustrations	vii
Introduction	1
Methods and Equipment	1
Surface Truth Adjustments	1
Sea Surface Temperature Charts	1
Marine Animal Observations	2
Acknowledgements	2
References	3

LIST OF ILLUSTRATIONS

<i>Figure</i>	<i>Page</i>
1. Standard ART flight trackline, July 1970—June 1976	1
2. Monthly surface isotherm chart, 14, 15, 17, 21-23 July 1970	2
3. Monthly surface isotherm chart, 18-21 August 1970	7
4. Monthly surface isotherm chart, 15-17, September 1970 . .	8
5. Monthly surface isotherm chart, 13-15, 20, 21, 27 October 1970	9
6. Monthly surface isotherm chart, 17-19, 23, November 1970	10
7. Monthly surface isotherm chart, 15-17, 18 December 1970	11
8. Monthly surface isotherm chart, 18-22 January 1971	12
9. Monthly surface isotherm chart, 16-19 February 1971	13
10. Monthly surface isotherm chart, 16-19 March 1971	14
11. Monthly surface isotherm chart, 13-16, 19 April 1971	15
12. Monthly surface isotherm chart, 18-20, 22, May 1971	16
13. Monthly surface isotherm chart, 15-18, 22, 24 June 1971	17
14. Monthly surface isotherm chart, 20-24 July 1971	18
15. Monthly surface isotherm chart, 19, 23, 24, 26, 27, 30 August 1971	19
16. Monthly surface isotherm chart, 14-16, 21-23 September 1971	20
17. Monthly surface isotherm chart, 12, 14, 15, 26-28 October 1971	21
18. Monthly surface isotherm chart, 16-19 November 1971 . . .	22
19. Monthly surface isotherm chart, 14-17 December 1971 . . .	23
20. Monthly surface isotherm chart, 18-20, 25-27 January 1972	24
21. Monthly surface isotherm chart, 15-17, 22 February 1972	25
22. Monthly surface isotherm chart, 21-24 March 1972	26
23. Monthly surface isotherm chart, 18-21 April 1972	27
24. Monthly surface isotherm chart, 16-18, 23, May 1972	28
25. Monthly surface isotherm chart, 13-16, 21 June 1972	29
26. Monthly surface isotherm chart, 21-23, 26-28 July 1972 . . .	30
27. Monthly surface isotherm chart, 15-19 August 1972	31
28. Monthly surface isotherm chart, 22, 23, 25, 27 September 1972	32
29. Monthly surface isotherm chart, 18, 20, 27, 29, 30 October 1972	33
30. Monthly surface isotherm chart, 16, 18, 19, 21, 22 November 1972	34
31. Monthly surface isotherm chart, 13, 14, 18-20, December 1972	35
32. Monthly surface isotherm chart, 16, 17, 19, 24 January 1973	36
33. Monthly surface isotherm chart, 20-23 February 1973	37
34. Monthly surface isotherm chart, 20, 22-24, 27, 28 March 1973	38

	<i>Page</i>
35. Monthly surface isotherm chart, 9, 11-15 April 1973	39
36. Monthly surface isotherm chart, 16, 17, 19 May 1973	40
37. Monthly surface isotherm chart, 19-21, 23-25 June 1973	41
38. Monthly surface isotherm chart, 17-19, 21 July 1973	42
39. Monthly surface isotherm chart, 14, 16, 20-23 August 1973	43
40. Monthly surface isotherm chart, 18-22 September 1973	44
41. Monthly surface isotherm chart, 15-19 October 1973	45
42. Monthly surface isotherm chart, 12-16 November 1973	46
43. Monthly surface isotherm chart, 10-13 December 1973	47
44. Monthly surface isotherm chart, 14, 16-18, 21 January 1974	48
45. Monthly surface isotherm chart, 12-14 February 1974	49
46. Monthly surface isotherm chart, 19, 20, 22 March 1974	50
47. Monthly surface isotherm chart, 22-24, 26 April 1974	51
48. Monthly surface isotherm chart, 20-22 May 1974	52
49. Monthly surface isotherm chart, 19-21 June 1974	53
50. Monthly surface isotherm chart, 15-17 July 1974	54
51. Monthly surface isotherm chart, 19-22 August 1974	55
52. Monthly surface isotherm chart, 16-20, 23 September 1974	56
53. Monthly surface isotherm chart, 15, 17, 18 October 1974	57
54. Monthly surface isotherm chart, 19, 22, 23 November 1974	58
55. Monthly surface isotherm chart, 10-12 December 1974	59
56. Monthly surface isotherm chart, 1 February 1975	60
57. Monthly surface isotherm chart, 27, 28 February 1975	61
58. Monthly surface isotherm chart, 18, 20 March 1975	62
59. Monthly surface isotherm chart, 29, 30 April—2 May 1975	63
60. Monthly surface isotherm chart, 20-22 May 1975	64
61. Monthly surface isotherm chart, 10-12, 18-20 June 1975	65
62. Monthly surface isotherm chart, 22, 24, 25, 29-31 July 1975	66
63. Monthly surface isotherm chart, 19-21 August 1975	67
64. Monthly surface isotherm chart, 9-11, 16-18 September 1975	68
65. Monthly surface isotherm chart, 21-25 October 1975	69
66. Monthly surface isotherm chart, 18-20 November 1975	70
67. Monthly surface isotherm chart, 16, 17, 19, 22 December 1975	71
68. Monthly surface isotherm chart, 20, 21, 23, 24 January 1976	72
69. Monthly surface isotherm chart, 10-12, 20, 21, 23, 24 February 1976	73
70. Monthly surface isotherm chart, 11, 12, 14, 23-25 March 1976	74
71. Monthly surface isotherm chart, 20-22 April 1976	75
72. Monthly surface isotherm chart, 18-21 May 1976	76
73. Monthly surface isotherm chart, 8-10 June 1976	77
74. Graph of the plotted annual range and weighted mean temperature and latitude distribution of marine animal observations, July 1969—June 1976	78

AIRBORNE RADIATION THERMOMETER MEASUREMENTS FROM CAPE COD, MASSACHUSETTS TO MIAMI, FLORIDA

JULY 1970—June 1976

By

J.W. Deaver
J.C. Reed

INTRODUCTION

Since July 1969, the U.S. Coast Guard Oceanographic Unit has been conducting monthly Airborne Radiation Thermometer (ART) surveys of the United States Atlantic Ocean coastal waters between Miami, Florida and Cape Cod, Massachusetts. The primary purpose of these over flights was to measure sea surface temperature (SST) distributions and observe visual current boundaries connected with the Gulf Stream for use in Search and Rescue (SAR) planning. This information along with marine animal sightings and pollution incidents were published monthly under the title of "Surface Isotherm Charts" by the Coast Guard Oceanographic Unit.

This report covers the period July 1970 to June 1976. The data were collected using operating procedures previously published (Deaver, 1975). Over 564,400 km of transects covering approximately 1.08×10^7 km² of Atlantic Shelf and Slope Water and Gulf Stream were covered during the 7 years (Fig. 1).

From October 1974 to May 1975, no data were collected south of Cape Hatteras, North Carolina due to aircraft non-availability.

Surveys were normally scheduled for the middle of each month, however, surveys were sometimes delayed for periods of up to two weeks due to operational difficulties.

METHODS AND EQUIPMENT

A Barnes Engineering Company, Precision Radiation Thermometer (PRT-5) was used to

measure the SST during ART surveys. The PRT-5 has been modified to view through the 9.5 to 11.5 μ wavelength window which was the most desirable filter available for SST measurements (Weiss, 1971). The PRT-5 signal was recorded on a continuous analog strip chart. The strip chart recorder was calibrated by measuring the known temperature of a hot and cold water bath prior to and at the completion of a flight.

An extensive review of the methods and equipment used was presented previously in Deaver, (1975).

SURFACE TRUTH ADJUSTMENT

All ART surveys were flown at or below 150 meters to avoid adverse atmospheric attenuation (Henderson, 1976). Data collected during periods of rain, snow, fog or heavy haze were discarded.

Accuracy of the ART data using selective sampling methods mentioned above is within $\pm 0.6^\circ\text{C}$.

SEA SURFACE TEMPERATURE CHARTS

Monthly sea surface temperature charts for Atlantic Ocean coastal water from Cape Cod to Miami are presented in 72 charts (Figs. 2-73).

Contour charts were constructed utilizing temperature measurements along survey transects. Contour shapes between transect crossings were based on subjective interpretation and additional data from satellite and shipboard observations.

MARINE ANIMAL OBSERVATIONS

Sightings of nine types of marine animals observed on ART surveys have been recorded for the period July 1970 to June 1976 from Miami, Florida to Cape Cod, Massachusetts. These data are presented as a seven year weighted mean latitude and temperature value for each animal (Fig. 74). The formula utilized for this calculation was previously published (Deaver, 1975). These data

are presented only as a by-product of ART surveys for the benefit of the oceanographic community.

ACKNOWLEDGEMENT

The authors are indebted to the pilots and crews of the Coast Guard aircraft involved in the monthly ART surveys and especially to the Marine Science Technicians at the Coast Guard Oceanographic Unit who obtained these data.

REFERENCES

- Deaver, J.W. (1975) Aerial Oceanographic Observations, Cape Cod, Massachusetts to Miami, Florida, July 1969—June 1970. U.S. Coast Guard Oceanographic Unit Report No. CG 373-68.
- Henderson, S.J. (1976) Low Altitude Infrared Sensing, U.S. Coast Guard Oceanographic Unit Technical Report 76-1.
- Weiss, M. (1971) Airborne Measurements of Earth Surface Temperature (Ocean and Land) in the 10-12u and 8-14u Regions. Applied Optics, Volume 10 No. 62 p. 1283, June 1971.




Figure 1. Standard ART flight trackline, July 1970-June 1976




Figure 2. Monthly surface isotherm chart, 14, 15, 17, 21-23 July 1970




Figure 3. Monthly surface isotherm chart, 18-21 August 1970




Figure 4. Monthly surface isotherm chart, 15-17 September 1970




Figure 5. Monthly surface isotherm chart, 13-15, 20, 21, 27 October 1970




Figure 6. Monthly surface isotherm chart, 17-19, 23, November 1970




Figure 7. Monthly surface isotherm chart, 15-17, 18 December 1970




Figure 8. Monthly surface isotherm chart, 18-22 January 1971




Figure 9. Monthly surface isotherm chart, 16-19 February 1971




Figure 10. Monthly surface isotherm chart, 16-19 March 1971




Figure 11. Monthly surface isotherm chart, 13-16, 19 April 1971




Figure 12. Monthly surface isotherm chart, 18-20, 22, May 1971




Figure 13. Monthly surface isotherm chart, 15-18, 22, 24 June 1971




Figure 14. Monthly surface isotherm chart, 20-24 July 1971




Figure 15. Monthly surface isotherm chart, 19, 23, 24, 26, 27, 30 August 1971




Figure 16. Monthly surface isotherm chart, 14-16, 21-23 September 1971




Figure 17. Monthly surface isotherm chart, 12, 14, 15, 26-28 October 1971




Figure 18. Monthly surface isotherm chart, 16-19 November 1971




Figure 19. Monthly surface isotherm chart, 14-17 December 1971




Figure 20. Monthly surface isotherm chart, 18-20, 25-27 January 1972




Figure 21. Monthly surface isotherm chart, 15-17, 22 February 1972




Figure 22 Monthly surface isotherm chart, 21-24 March 1972




Figure 23. Monthly surface isotherm chart, 18-21 April 1972




Figure 24. Monthly surface isotherm chart, 16-18, 23, May 1972




Figure 25. Monthly surface isotherm chart, 13-16, 21 June 1972




Figure 26. Monthly surface isotherm chart, 21-23, 26-28 July 1972




Figure 27. Monthly surface isotherm chart, 15-19 August 1972




Figure 28. Monthly surface isotherm chart, 22, 23, 25, 27 September 1972




Figure 29. Monthly surface isotherm chart, 18, 20, 27, 29, 30 October 1972




Figure 30. Monthly surface isotherm chart, 16, 18, 19, 21, 22 November 1972




Figure 31. Monthly surface isotherm chart, 13, 14, 18-20, December 1972




Figure 32. Monthly surface isotherm chart, 16, 17, 19, 24 January 1973




Figure 33. Monthly surface isotherm chart, 20-23 February 1973




Figure 34. Monthly surface isotherm chart, 20, 22-24, 27, 28 March 1973




Figure 35. Monthly surface isotherm chart, 9, 11-15 April 1973




Figure 36. Monthly surface isotherm chart, 16, 17, 19 May 1973




Figure 37. Monthly surface isotherm chart, 19-21, 23-25 June 1973




Figure 38. Monthly surface isotherm chart, 17-19, 21 July 1973




Figure 39. Monthly surface isotherm chart, 14, 16, 20-23 August 1973




Figure 40. Monthly surface isotherm chart, 18-22 September 1973




Figure 41. Monthly surface isotherm chart, 15-19 October 1973




Figure 42. Monthly surface isotherm chart, 12-16 November 1973




Figure 43. Monthly surface isotherm chart, 10-13 December 1973




Figure 44. Monthly surface isotherm chart, 14, 16-18, 21 January 1974




Figure 45. Monthly surface isotherm chart, 12-14 February 1974




Figure 46. Monthly surface isotherm chart, 19, 20, 22 March 1974




Figure 47. Monthly surface isotherm chart, 22-24, 26 April 1974




Figure 48. Monthly surface isotherm chart, 20-22 May 1974




Figure 49. Monthly surface isotherm chart, 19-21 June 1974




Figure 50. Monthly surface isotherm chart, 15-17 July 1974




Figure 51. Monthly surface isotherm chart, 19-22 August 1974




Figure 52. Monthly surface isotherm chart, 16-20, 23 September 1974




Figure 53. Monthly surface isotherm chart, 15, 17, 18 October 1974




Figure 54. Monthly surface isotherm chart, 19, 22, 23 November 1974




Figure 55. Monthly surface isotherm chart, 10-12 December 1974




Figure 56. Monthly surface isotherm chart, 1 February 1975




Figure 57. Monthly surface isotherm chart, 27, 28 February 1975




Figure 58. Monthly surface isotherm chart, 18, 20 March 1975




Figure 59. Monthly surface isotherm chart, 29, 30 April–2 May 1975




Figure 60. Monthly surface isotherm chart, 20-22 May 1975




Figure 61. Monthly surface isotherm chart, 10-12, 18-20 June 1975




Figure 62. Monthly surface isotherm chart, 22, 24, 25, 29-31 July 1975




Figure 63. Monthly surface isotherm chart, 19-21 August 1975




Figure 64. Monthly surface isotherm chart, 9-11, 16-18 September 1975




Figure 65 Monthly surface isotherm chart, 21-25 October 1975




Figure 66. Monthly surface isotherm chart, 18-20 November 1975




Figure 67. Monthly surface isotherm chart, 16, 17, 19, 22 December 1975




Figure 68. Monthly surface isotherm chart, 20, 21, 23, 24 January 1976




Figure 69. Monthly surface isotherm chart, 10-12, 20, 21, 23, 24 February 1976




Figure 70. Monthly surface isotherm chart, 11, 12, 14, 23-25 March 1976




Figure 71. Monthly surface isotherm chart, 20-22 April 1976




Figure 72. Monthly surface isotherm chart, 18-21 May 1976




Figure 73 Monthly surface isotherm chart, 8-10 June 1976

Figure 74. Graph of the plotted annual range and weighted mean temperature and latitude distribution of marine animal observations, July 1969–June 1976

Codes Utilized

A complete description of the codes utilized in the tabulation of oceanographic station data can be found in National Oceanographic Data Center publication M-2, *Processing Physical and Chemical Data from Oceanographic Stations*, (Rev. August 1964, supplement issued May 1966.)

To facilitate use of the oceanographic station data listing, entry headings which are not self-explanatory are described below.

REFID	NODC reference identifier number
CONSEC	Consecutive station number
RODDEP (B)	Unprotected surface depth in meters
SHIP (B)	NODC ship type identifier code
DATA USE	Form factor for DNP data
AREA	NODC ocean area code
CLOUD (A, B)	Cloud type according to WMO code 11000 and cloud amount according to WMO code 2500
Wave observations	
HDB	Direction of dominant waves according to WMO code 0800
HDI	Height of dominant waves according to WMO code 1000
FER	Force of dominant waves according to WMO code 3100
SEA (B)	Sea state according to WMO code 3000
CLTR (B)	Water color according to turbidity code. Transparency in meters as determined by Secchi disc
WINDDIR (B)	Direction from which wind is blowing in tens of degrees according to WMO code 0657
WINDSPD (B)	Wind speed in knots
WINDFOR (B)	Wind force in Beaufort code
WEATHER (B)	Weather code. If preceded by letter X is according to WMO code 4501. A numeric two digit entry indicates weather according to WMO code 4657
INST	Instrument used for observation. "Nansen Cast" indicates station consists of Nansen cast data. "STD Recorder" indicates station consists of STD data or a mixture of STD and Nansen cast data
TRACE DIR (B)	"Trace" indicator U (UP), D (DOWN), and A (AVERAGED) used with STD casts, and specify that data were taken while hoisting or lowering, respectively or that the two traces were averaged
DURATION (B)	Time elapsed during raising or lowering of the STD recorder in tenths of hours
ORIG (B)	Originator's reference number in two parts: cruise number or 4 characters of year of cruise, last 2 of cruise number years digits may sometimes only be 1, and a "Year" field, and station number
TEN SQ	Ten degree squares - modified Canadian system
5 SQUARE	Five degree squares - modified Canadian system
2 SQUARE	Two degree squares - modified Canadian system
1 SQUARE	One degree squares - modified Canadian system
CASNUM (B)	Number of cast on multi-cast stations (blank when messenger time is given)
TIME (B)	Time of release of messenger in hour and tenths for applicable observed levels. If midnight seen, entry is past midnight, 24 hours are added to cast time of next day. Beginning time for STD is given at 100 m depth
LEVTYPE	Type of record at depth indicated. "OBS" - observed values. For STD recorder - level of data read out. "STD" - NODC standard interpolated values. "ORG" - Standard or other depths carrying non-NODC interpolated values. "TH" - Interpolated standard depth values used as obs for computational purposes. Note: When an observed level coincides with a STD depth level, both "STD" and "OBS" lines will appear
DEPTH	Depth of sample or standard level in whole meters. Prefix "1" indicates the bathymetrically determined depth (depth of unprotected thermometer). Subscript "Q" indicates that the value is marked doubtful by the originator. A value designated as implausible by NODC is marked with a "P". Postscript "Z" indicates uncorrected and inaccurate "Wire-out" depths (high wire angle present)
TEMP (B)	Temperature in degrees Celsius. For "Q" and "P" notation see depth field
SAL (B)	Salinity in parts per thousand. For "Q" and "P" notation see depth field
SIGMA T (B)	Seawater density anomaly to 2 decimal places. When depth, temp, or salinity is doubtful, a "Q" is suffixed. An asterisk indicates a decrease of 0.02 or more from the previous level
DYNDEPTH	Dynamic depth anomaly in dynamic meters to millimeters
SNDVEL (B)	Sound velocity in meters per second to decimeters according to Wilson's formula. (A standard depth pressure term is used for stations not beginning at the surface)
OXYG (B)	Oxygen in ML/L to hundredths

FILMED

103-8